No.



8800195

# THE DAILY ED STATES OF ANTERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME:

# DeKalb Plant Cenetics

Withereas, there has been presented to the

#### Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF eighteen years from the date of this grant, subject to the payment of the required fees and periodic replenishment of viable basic seed of the variety in a public repository as provided by LAW, the right to exclude others from selling the variety, or offering it for sale, or reproducing it, importing it, or exporting it, or using it in producing a hybrid or different ty therefrom, to the extent provided by the Plant Variety Protection Act T. 1542, As amended, 7 U.S.C. 2321 ET SEQ.)

CORN

'78551S'

my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington, D.C. this 31st day of August in the year of our Lord one thousand nine hundred and ninety.

In Testimony Wathereot, I have hereunto set

Such

Kensell Grans

M X X M X X M X X M

Plant Variety Protection Office Agricultural Marketing Service Clay of Agriculture

	U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE  APPLICATION FOR PLANT VARIETY PROTECTION CERTIFICATE  (Instructions on reverse)			FORM APPROVED: OMB NO, 0581-0055		
				Application is required in order to determine if a plant variety protection certificate is to		
				be issued (7 U.S.C. 2421). Information is held confidential until certificate is issued (7 U.S.C. 2426).		
-116	1. NAME OF APPLICANT(S)		2. TEMPORARY DESIGNATION	3. VARIETY NAME		
JM3 8/2/90	DEKALB <del>-PFIZER</del> GENETICS		78551S	785518		
•	4. ADDRESS (Street and No. or R.F.D. No., City, State	e, and Zip Code)	5. PHONE (Include area code)	FOR OFFICIAL USE ONLY		
	3100 Sycamore Road		(015)756 7222	PVPO NUMBER		
	DeKalb, IL 60115		(815)756-7333	8800195		
	Zea Mays	Graminea		DATE JULY 5, 1988 TIME 9: 30 NA.M. P.M.		
	8. KIND NAME	9.	DATE OF DETERMINATION	AMOUNT FOR FILING		
	Corn		Winter 1986	9 \$ 1800 =		
	10. IF THE APPLICANT NAMED IS NOT A "PERSON partnership, association, etc.)	I," GIVE FORM	OF ORGANIZATION (Corporation,	DATE  DATE  May 26 1988  AMOUNT FOR CERTIFICATE  SERVICE STREET		
	General Partnership			Cluz. 22,1990		
	11. IF INCORPORATED, GIVE STATE OF INCORPO	RATION		12. DATE OF INCORPORATION		
5/3/90		rcamore Ro IL 6011 HMENT SUBMIT the Variety (See y (Request formaty. cant's Ownership DOF THIS VARI tection Act.)	PHONE (Include ar TTED  Section 52 of the Plant Variety Pro from Plant Variety Protection Offi  P.  ETY BE SOLD BY VARIETY NAM  Yes (If "Yes," answer	815/758-9109 ea code): otection Act.) ce.) E ONLY AS A CLASS OF CERTIFIED items 16 and 17 below)  No		
	LIMITED AS TO NUMBER OF GENERATIONS?  Yes XX No	VARIETY BE	BEYOND BREEDER SEI	WHICH CLASSES OF PRODUCTION ED?  Registered Certified		
	18. DID THE APPLICANT(S) PREVIOUSLY FILE I	FOR PROTECT	ION OF THE VARIETY IN THE U	Yes (If "Yes," give date)  X No		
	19. HAS THE VARIETY BEEN RELEASED, OFFER	ED FOR SALE	, OR MARKETED IN THE U.S. OF	ROTHER COUNTRIES ?  Yes (If "Yes," give names of countries and dates)  No		
	20. The applicant(s) declare(s) that a viable sample plenished upon request in accordance with su The undersigned applicant(s) is (are) the owner.	ch regulations er(s) of this sex	as may be applicable. xually reproduced novel plant va	riety, and believe(s) that the variety is		
in the	distinct, uniform, and stable as required in Se Variety Protection Act.	ction 41, and i	s entitled to protection under th	e provisions of Section 42 of the Plant		
	Applicant(s) is (are) informed that false repre	sentation nerel	iii can jeopardize protection and	DATE ,		
	Thomas B. Mici	·	ì	5/2/88		
ā.	SIGNATURE OF APPLICANT			DATE		

#### ORIGIN AND BREEDING HISTORY OF DENT CORN INBRED 78551S

The dent corn inbred line 78551S was derived from the cross of two inbred lines 78060A and LH38. The original cross 78060A x LH38 was made by Dr. Thomas Bittinger, Owatonna, MN, in 1982. Seed of the SO generation was sent to Hawaii by Dr. Bittinger and planted in the Winter 1982 nursery row no. 10,047. S1 generation seed was harvested and a sample of this seed was supplied to Dr. M. F. Lindsey, Dayton, IA, in 1983.

- Summer 1983: S1 generation seed was planted at Dayton, IA. Twenty self pollinated ears were harvested, shelled separately and the S2 generation seed maintained separately (1983 Dayton nursery rows 2041-2050).
- Summer 1984: S2 generation seed of ear number eighteen (of the 20 harvested) was planted at Dayton, IA. Seven self pollinated ears were harvested, shelled separately and the S3 generation seed maintained separately (1984 Dayton nursery row number 3072).
- Winter 1984: S3 generation seed of ear number four (of the seven harvested) was planted at Homestead, FL. Three self pollinated ears were harvested and returned to Dayton, IA. Seed of each ear was shelled separately and the S4 generation seed maintained separately (1984 Winter nursery row number 1847).
- Summer 1985: S4 generation seed of ear number one (of the three harvested) was planted at Dayton, IA. Four self pollinated ears were harvested, shelled separately and the S5 generation seed maintained separately (1985 Dayton nursery row number 2563).
- Winter 1985: S5 generation seed of ear number one (of the four harvested) was planted in Homestead, FL, and the plants self pollinated. Eight ears were harvested and returned to Dayton, IA. Shelled seed of these eight ears was bulked and coded 78551S. (Winter nursery row number 893). The complete selfing pedigree for 78551S at the S5 generation was S5-18-4-1-1.

Summer 1986

to Present: A pure source of 78551S has been maintained by

self pollinating plants and bulking seed from

selected ears.

#### Item 14 Exhibit A

#### STATEMENT OF STABILITY

Corn inbred 78551S was coded in 1985 and has been reproduced for the past 2 years by self-pollination. Inbred 78551S has been judged to be phenotypically and genetically stable.

#### STATEMENT OF UNIFORMITY

78551S is uniform for all traits observed.

EXHIBIT A Appendum 2

The inbred 78060A, a parent line used in the development of inbred 78551S, is derived from the C103 family of inbreds. 78060A is an early C103, flowering approximately two days sooner than MO17HT, a C103 derived inbred line.

DEKALB-PFIZER GENETICS is the developer and sole and first owner of 78060A.

EXHIBIT B. Novelty Statement

78551S is a yellow dent corn inbred. The public line most closely related to 78551S is MO17HT.

78551S is significantly different from MO17HT for the following traits: heat units to 50% silk, ear leaf length, ear height, and ear weight (Table 1).

TABLE 1. Morphological traits that exhibit a significant difference between inbred and check (1987 DEKALB Inbred Test Data).

	Mean		Difference		
Trait	78551S	MO17HT	in Means	s*	lsd**
Heat Units to 50% Silk	1473	1591	118	15.82	31.5
Ear Leaf Length (cm)	85	75	10	1.89	3.8
Ear Height (cm)	78	101	23	2.72	5.4
Ear Weight (gm)	148	85	63	7.90	15.7


<sup>\*</sup>s =  $\sqrt{\text{error mean square}}$  (df = 97)


lsd = 
$$t_{.05/2} s \sqrt{2/r}$$
 (r = 2,  $t_{.05/2} = 1.99$ )

<sup>\*\*</sup> Least significant difference based on Analysis of Variance at the 5% level of significance (98 entries and 2 replications).

## <u>78551S</u>

Exhibit B. Novelty Statement, Appendium II





FORM GR-470-28 (2-15-74)

# UNITED STATES DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE GRAIN DIVISION HYATTSVILLE, MARYLAND 20782

(Corn)

## **OBJECTIVE DESCRIPTION OF VARIETY**

IMS 8/2/90
8/21.

COR	N (ZEA MAYS)
DEKALB PFIZER GENETICS	FOR OFFICIAL USE ONLY
ADDRESS (Street and No. or R.F.D. No., City, State, and ZIP Code	P VPO NUMBER
3100 Sycamore Road	1 0000113
DeKalb, IL 60115	DESIGNATION
	785515
Place the appropriate number that describes the varietal cha	racter of this variety in the boxes below.
Place a zero in first box (e-s- 0 8 9 or 0 9 ) when nu	mber is either 99 or less or 9 or less.
1. TYPE:	•
2 1 = SWEET 2 = DENT 3 = FLINT	4 = FLOUR 5 = POP 6 = ORNAMENTAL
2. REGION WHERE BEST ADAPTED IN THE U.S.A.:	
1 = NORTHWEST 2 = NORTHCENTRAL	3 = NORTHEAST 4 = SOUTHEAST
5 = SOUTHCENTRAL 6 = SOUTHWEST	7 = MOST REGIONS
3. MATURITY (In Region of Best Adaptability):	(Under "omments" (pg. 3) state how
7 8 DAYS FROM EMERGENCE TO 50% OF PLANTS IN SI	heat units were calculated)  LK 1 4 7 3 HEAT UNITS
7 8 DATS FROM EMERGENCE TO SUM OF FEARTS IN ST	1 4 7 3
DAYS FROM 50% SILK TO OPTIMUM EDIBLE QUALI	TY HEAT UNITS
5 6 DAYS FROM 50% SILK TO HARVEST AT 25% KERNE	L MOISTURE 1 0 9 1 HEAT UNITS
4. PLANT:	
2 1 7 CM. HEIGHT (To tassel tip)	7 8 CM, EAR HEIGHT (To base of top
1 6 cm. Length of top ear internode	
	•
Number of Tillers:	Number of Ears Per Stalk:
1 = NONE 2 = 1-2 3 = 2-3 4 = $> 3$	1 = SINGLE 2 = SLIGHT TWO-EAR TENDENCY 3 = STRONG TWO-EAR TENDENCY 4 = THREE-EAR TENDEN
Cytoplasm Type:	5- STIGHT TWO-EAR TENDERS
1 1=NORMAL 2="T" 3="S"	4 = "C" 5 = OTHER (Specify)
5. LEAF (Field Corn Inbred Examples Given):	
Color:	
	A - VEDY DARK CREEN (N. )
2 1 = LIGHT GREEN (HY) 2 = MEDIUM GREEN (	WF9) 3 = DARK GREEN (B14) 4 = VERY DARK GREEN (K
Angle from Stalk (Upper half):	Sheath Pubscence:
1 = < 30° 2 = 30-60° 3 = > 60°	1 = LIGHT (W22) 2 = MEDIUM (WF9)
	3 = HEAVY (OH26)
Marginal Waves:	Longitudinal Creases:
3 1 = NONE (HY) 2 = FEW (WF9) 3 = MANY (OH7	(L) 1 = ABSENT (OH51) 2 = FEW (OH56A)
3 1 = NONE (HY) 2 = FEW (WF9) 3 = MANY (OH7	3 = MANY (PA11)
Width:	Length:
$\begin{bmatrix} 1 & 0 \end{bmatrix}$ CM. WIDEST POINT OF EAR NODE LEAF	8 5 CM. EAR NODE LEAF
1 9 NUMBER OF LEAVES PER MATURE PLANT	
I I I J I NUMBER OF LEAVES FER MAIUNE FLANT	

ORM GR-470-28	Page 2 of 3
6. TASSEL:	
NUMBER OF LATERAL BRANCHES	
Branch Angle from Central Spike: Penduncle Length:	
2 1 = < 30° 2 = 30-40° 3 = > 45° 6 CM, FROM TOP	LEAF TO BASAL BRANCHES
Pollen Shed:	
1 = LIGHT (WF9) 2 = MEDIUM 3 = HEAVY(KY21)	
Anther Color: Anther Color: 6 = OTHER (Specify)	RPLE 5 = GREEN
Pollen Restoration for Cytoplasms (o = Not Tested, 1 = Partial, 2 = Good)	
"T" "S" "C" OTHER (Specify Cytoplasm and degrees of	of restoration)
7. EAR (Husked Ear Data Except When Stated Otherwise):	, , , , , , , , , , , , , , , , , , , ,
19 CM LENGTH 42 MM. MID-POINT 148 GM. WEIGHT	
Kernel Rows:	
2 1 = INDISTINCT 2 = DISTINCT 1 2 NUMBER	,
2 1 = STRAIGHT 2 = SLIGHTLY CURVED 3 = SPIRAL	
Silk Color (Exposed at Silking Stage):	
2 1 = GREEN 2 = PINK 3 = SALMON 4 = RED	
Husk Color:	
1 FRESH 1 = LIGHT GREEN 2 = DARK GREEN 3	= PINK
6 DRY 6= BUFF	1
Husk Extention: (Harvest Stage)  Husk Leaf:	
1 = SHORT (Ears Exposed) 2 = MEDIUM (Barely Covering Ear) 3 = LONG (8-10CM Beyond Ear Tip) 4 = VERY LONG (> 10 CM)	1) 2 = MEDIUM (8-15 CM) M)
Shank: Position at Dry Husk Stage:	
1 5 CM LONG 9 NO. OF INTERNODES 1 1 = UPRIGHT 2	= HORIZONTAL 3 = PENDENT
Taper: Drying Time (Unhusked Ear):	•
2 1 = SLIGHT 2 = AVERAGE 3 = EXTREME 3 1 = SLOW 2	= AVERAGE 3 = FAST
8. KERNEL (Dried):	
Size (From Ear Mid-Point):	•
1 1 MM LONG 9 MM. WIDE 5 MM, THICK	
Shape Grade (% Rounds)	

3

2 = 20-40

è = > 80

4 = 60-80

3 = 40-60

COMMENTS: Heat Unit Calculations:

Exhibit D. Additional Description of the Variety.

The isozyme analysis of 78551S and MO17Ht shows genetic differences at five different loci: Acpl - 3 vs. 2, Dial - 12 vs. 8, Glul - 7 vs. 6, Pgm2 - 4 vs. 8, Ampl - 4 vs. 5. (See Exhibit D, Appendium I.)

### Isozyme Genotypes of Selected DEKALB Parents

	Alleles Present		
Locus	78551S	Mo17Ht	
f of plants assayed	8	22	
Acp1	3	2	
Adh1	4	4	
lmp1	4	5	
Sat3	9	9	
ia1	12	8	
ia2	4	4	
inp1	6	6	
ot3	4	4	
Sot2	4	4	
ot1	4	4	
tu1	7	. 6	
ex2	2	2	
dh1	4	4	
dh2	4	4	
dh1	6*	6*	
dh2	6	6	
dh3	16	16	
dh4	12	12	
dh5	12	12	
gm1	9	9	
gm2	4	8	
gd1	3.8	3.8	
gd2	5	5	
hi	4	4	
pi1	4	4	
p12	4	4	
pi3	4	4	
pi4	4	4	

<sup>\*</sup>Allele is probably 6 but null cannot be ruled out.

Exhibit D, Appendium I. Additional Description of the Variety.

The technique of using isozymes for genotyping or "fingerprinting" is described by the following reference:

Goodman, M.M. and C. W. Stuber. 1980. Genetic identification of lines and crosses using isoenzyme electrophoresis. Proceedings of the Thirty-fifth Annual Corn and Sorghum Industry Research Conference.

Item 14 Exhibit E. Statement of Ownership

Applicant is the owner of the inbred. The inbred was developed by a breeder employed by the applicant.